## **REMARKS**

With the present Amendment, claims 1-16, 18-30 and 32 are pending. Claims 1-5, 7-8, and 13-14 stand rejected under 37CFR § 1.03(a) as being unpatentable over Thomas, et al. (U.S. Patent No. 6,049,024) in view of Kellenberger (U.S. Patent No. 5,147,343). Claims 6, 9, 10-12, 16, 18-22, 24-30, and 32 stand rejected under 35 U.S.C. § 1.03(a) as being unpatentable over Thomas, et al. (U.S. Patent No. 6,049,024) and Kellenberger (U.S. Patent No. 5,147,343) and further in view of Goldwasser (U.S. Patent No. 6,183,847). Claim 15 stands rejected under 35 U.S.C. § 1.03(a) as being unpatentable over Thomas, et al. (U.S. Patent No. 6,049,024) in view of Kellenberger (U.S. Patent No. 5,147,343) and further in view of Rhim (U.S. Patent No. 5,342,335). Claim 23 stands rejected under 35 U.S.C. § 1.03(a) as being unpatentable over Thomas, et al. (U.S. Patent No. 6,049,024), Kellenberger (U.S. Patent No. 5,147,343), Goldwasser (U.S. Patent No. 6,183,847), and further in view of Vukos et al. (WO 02/34184).

Applicants respectfully request that this response be entered. Applicants respectfully submit that the response places the application in condition for allowance or in better condition for appeal, as discussed in greater detail below.

Claim 1 is not rendered obvious by the cited prior art of <u>Thomas et al.</u> and <u>Kellenberger</u>, either alone or in combination, because these references do not set forth all the limitations and elements of the claim. For example, claim 1 calls for a disposable garment with a liquid impervious backing sheet, liquid pervious bodyside liner, and an absorbent material disposed between the liquid pervious bodyside liner and the liquid impervious backing sheet. The liquid pervious bodyside liner includes a layer of fine

fibers. The layer of fine fibers has an average pore size that is less than the average diameter of absorbent particles that are included in the absorbent material.

Similarly, Claim 16 is not rendered obvious by the cited prior art of <u>Thomas et al.</u>, <u>Goldwasser</u>, and <u>Kellenberger</u>, either alone or in combination, because these references do not set forth all the limitations and elements of the claim. For example, claim 16 calls for a disposable garment with a liquid impervious backing sheet, liquid pervious bodyside liner, and an absorbent material disposed between the liquid pervious bodyside liner and the liquid impervious backing sheet. The liquid pervious bodyside liner includes a layer of fine fibers. The layer of fine fibers has an average pore size that is less than the average diameter of absorbent articles that are included in the absorbent material.

As stated in the response to the Office Action dated January 31, 2005, neither Thomas et al. nor Goldwasser disclose a liquid pervious bodyside liner having an average pore size that is less than the average diameter of the absorbent particles of the absorbent material which is disposed between the bodyside liner and the backing sheet.

Kellenberger discloses a disposable sanitary absorbent article 10 having a liquid impermeable backing material 12, a liquid permeable facing material 14, and a liquid absorbent composite 16. Kellenberger discloses that the absorbent material 16 is made up of a matrix of fibers and superabsorbent material. Therefore, the superabsorbent material is included within a batting of fibers. Such a composition of absorbent material is similar to that of coform, which is disclosed in the present application. The absorbent composite 16 of the superabsorbent material and fibers holds and contains any liquid

that comes in contact with the composite 16. Therefore, the absorbent composite 16 of Kellenberger is similar to the absorbent material called for independent claim 1. The absorbent composite of Kellenberger would be used as the absorbent material in the present claim 1 and not as a liquid impervious bodyside liner. Kellenberger does not disclose that the liquid pervious facing material 14, which covers the absorbent composite 16, should have an average pore size in one of its layers that is less than the average diameter of the absorbent particles contained within the absorbent composite 16. Kellenberger is completely silent on this characteristic.

Kellenberger at best only teaches that the absorbent core of Thomas et al. should be a matrix of fibers and superabsorbent material. Kellenberger does not disclose, teach, or suggest that the liquid permeable sheet of an absorbent article which allows liquid to pass should have a layer of fine fibers with an average pore size less than the average diameter of the absorbent particles within the absorbent composite 16. Therefore, even if Kellenberger was combined with Thomas et al. and/or Goldwasser such a combination would not render independent claims 1 and 16 obvious.

Applicants respectfully submit that, absent knowledge of the present application, it is not reasonable to use a reference (such as <u>Kellenberger</u>) that teaches of a unique absorbent core material to modify the pore size of the cover sheet of a different absorbent article, particularly when the reference explicitly states that the superabsorbent material particles are adequately retained in the fiber matrix of the absorbent core (as noted by the Examiner). <u>Kellenberger</u> expressly describes the retaining of the superabsorbent material particles within the fiber matrix of the absorbent core by ensuring that the particle size is larger than the interfiber spaces. There is no

indication that this structure is inadequate, or that additional solutions are needed. The absorbent article of Kellenberger also includes a liquid permeable cover sheet, and there is not suggestion or hint whatsoever in the reference that this cover should be modified to retain the superabsorbent material particles. As noted by the Examiner, the other applied references offer no motivation whatsoever to change their respective cover sheets to retain superabsorbent material particles. If Kellenberger does not suggest that its own cover sheet should be modified, it is not reasonable to assert that Kellenberger provides motivation to modify the cover sheet of another absorbent article. Absent knowledge of the present application and impermissible hindsight analysis, the obviousness combination is improper.

Similarly, the combination of <u>Thomas et al.</u>, <u>Goldwasser</u>, and <u>Kellenberger</u> would not render independent claim 24 obvious. Independent claim 24 calls for a bodyside liner that consists essentially of a first layer of spunbonded fibers, a second layer of spunbonded fibers and a layer of meltblown fibers disposed between the first layer of spunbonded fibers and the second layer of spunbonded fibers. The layer of meltblown fibers has pore sizes of less than about 25 microns and the bodyside liner has a SAM retention level of greater than 95% using the SAM Shake Test.

As stated in the response to the Office Action dated January 31, 2005, Thomas et al. and Goldwasser do not disclose a layer of meltblown fibers having a pore size of less than about 25 microns and that the bodyside liner has a SAM retention level of greater than 95% using the SAM Shake Test. Kellenberger does not teach making a layer of meltblown fibers within a SMS fabric laminate. Rather, as stated above, Kellenberger describes making an absorbent composite of a matrix of fibers and super

absorbent material that is similar to coform for use within a diaper or other absorbent article. Such a construction as called for in <u>Kellenberger</u> would not be useful within a SMS layer especially when the basis weight ranges of the meltblown fibers are between 0.6 grams per square meter and about 1 gram per square meter. Such a small amount of meltblown fibers would not be able to construct the absorbent composite called for <u>Kellenberger</u>. As pointed out in <u>Kellenberger</u>, the fibrous matrix would most likely be an airlaid batting of fluff. Such a batting would have a much larger basis weight than is called for in the meltblown fibers of claim 24.

Further, Kellenberger is describing an absorbent composite that absorbs the fluid therein. The absorbent composite 16 does not just allow liquid to pass through it.

Therefore, such a construction would absorb the liquid during the SAM Shake Test, instead of allowing the liquid to pass through. Thus, one of ordinary skill in the art would not look to Kellenberger to be combined with Thomas et al. and Goldwasser to create a bodyside liner has a SAM retention level of greater than 95% using the SAM Shake Test. Therefore, for the reasons listed above, Applicants respectfully submit that the combination of Thomas et al., Goldwasser, and Kellenberger will not render independent claim 24 obvious.

For the reasons set forth above, independent claims 1, 16, and 24 are patentably distinguishable form the cited prior art and are thus allowable. Since claims 2-15 depend from claim 1, claims 17-23 depend from claim 16, claims 25-30 and 32 depend from claim 24, Applicants respectfully submit that claims 2-15, 17-23 and 25-30 and 32 are also allowable. Applicants submit that the application is now in condition for allowance and favorable action thereon is respectfully requested. The Examiner is

encouraged to contact the undersigned at her convenience to resolve any remaining issues.

Respectfully submitted,

DORITY & MANNING, P.A.

Stephen E. Bondura Registration No.: 35,070

DORITY & MANNING, P.A.

P.O. Box 1449

Date: 11/29/05

Greenville, SC 29602-1449

Phone: (864) 271-1592 Facsimile: (864) 233-7342